

Enim mous  
2-14-03  
#8/658-  
SPECIES

## TRAINING BODY MOVEMENT METHOD USING MOBILE IMAGE

OK TO ENTER

COMMUNICATION

CA 4-24-03

### BACKGROUND OF THE INVENTION

#### FIELD OF THE INVENTION

The present invention relates to a body movement training method by searching images of a moving body of a trainee and/or trainer.

#### DESCRIPTION OF THE RELATED ART

According to the present invention, as a method for training a basic manner of moving a body in a sport performed by a human body, a trainer has performed a demonstration and then cause a trainee to perform an action, and the trainer has explained the difference between the demonstration and the action by the trainee with voice or body action. In addition, a number of media, such as a trainer herself or himself performs a demonstration, and voice, a training book, or the like is added to the demonstration by the trainer for self-training.

USP. No. 5,184,295 (issued on February 2, 1993) describes that a typical action or the like is input as a video image, and the image and an action or the like performed by a trainee are overlapped by an arithmetic operation process, so that training is performed with a three-dimensional image. However, according to this patent, since the model action or the like is generated as a video image in advance with the physical dimensions of the trainee such that it is effective for only the specific trainee or training captured for a gradual training method rather generally applicable to any trainees.

Another patent describes that an action of a trainee is recorded as a video image, this image is reproduced on a display, a basic line of a body constituting an optimum pose are indicated on each action image of the trainee on the screen. This application was filed by the present inventor of this application prior to USP No. 5,184,295. In Japan, the application was filed on August 3, 1994 and published as Japanese Unexamined Patent Publication No. 7-

filed on August 3, 1994 and published as Japanese Unexamined Patent Publication No. 7-144038 then patented on June 12, 1999 as Patent No. 5,857,855 in the United States of America.

With the recent development of communication devices, a novel digital TV transceiver system for separating video data from data linked with the video data and transmitting these data by the same channel has also been deployed to implement the above-mentioned training systems.

#### **SUMMARY OF THE INVENTION**

It is an object of the present invention to provide a system which can display a video image and data of a trainer desired to be seen by a trainee with a mobile communication device displaying a video image and/or data of the trainee or a third party on the same screen without being overlapped while being linked with each other.

The present invention uses a multi-functional, high-performance mobile image communication terminal (such as a portable telephone), a mobile network system (such as a PDC or/and a PHS), a gateway for performing protocol conversion or the like, and the Internet, at least one camera for photographing a body action of a trainer (such as a player actor), and a system for encoding video information of the camera so as to transfer the encoded information to a video server through a cable or/and a wireless network circuit, and a system which receives various pieces of information of the body action and transfers the data to a data server through a cable or/and a wireless network circuit.

Therefore, a trainee (such as an auditory user) searches a data server by the mobile image communication terminal to automatically calculate the data and video data related to the data, so that the data and the video data can be shown on the same screen while being linked with each other.

According to another aspect of the present invention, the data of the data server or/and the video server is data of a trainer (such as a coach or an instructor), and these data and the

data or/and the video image of the trainee are displayed and compared on the same screen without being overlapped so as to perform training.

According to still another aspect of the present invention, to train a trainee in a manner of moving a body, the trainer searches for two still images through mobile image communication from the video server or/and the data server with the data of the trainee to be displayed, and these still images are simultaneously displayed, compared and examined so as to make the trainee to understand the difference between both actions.

According to still another aspect of the present invention, to train a manner of moving a body of a trainee, images of actions of a sport performed by the trainee are taken at substantially the same place, the images are reproduced without being overlapped on the same screen such as a mobile display. One of the images of the trainee and the trainer is set as a moving image, and the other image is set as a still image, so as to make the trainee understand the relation between the images.

According to still another aspect of the present invention, an image of a sport, an action, a movement, or the like performed by a trainee before the trainee is trained by a trainer is taken. Thereafter, an image of the action of the trainee is taken after the trainee is trained by the trainer at the same place. These images are reproduced without being overlapped on the same screen such as a mobile display, and the two images are simultaneously compared with each other and examined, so as to make the trainee understand the degree of improvement.

According to still another aspect of the present invention, when a moving image of a sport action of a trainer or a trainee is reproduced on a mobile display, a line or a grid-like line serving as a reference on the image, so as demonstrate the degree of an act.

According to still another aspect of the present invention, a basic line of a body featuring each frame of a moving image is drawn on the image, (the image of the sport action is erased), to obtain a plurality of basic lines to be displayed on one screen in place of the moving image, so as to demonstrate the change of the basic lines of the body.

According to still another aspect of the present invention, a video still image of a sport action of a trainer or a trainee is displayed on a mobile display, and letters or/and symbols are described by the trainer on a part of the video still image to make a training point.

According to still another aspect of the present invention, sport actions at different places are simultaneously taken as images. The images are reproduced without being overlapped on the same screen of a mobile display, and the two images are compared with each other, so as to demonstrate the difference between the images.

#### **BRIEF DESCRIPTION OF THE DRAWINGS**

Fig. 1 is a block diagram of a system used in the present invention;

Fig. 2 is an illustrational diagram of Fig. 1;

Fig. 3 is a diagram showing an addressing form of golf in training;

Fig. 4 is a diagram showing a tee back form of golf in training;

Fig. 5 is a diagram obtained when a golf ball is hit in training;

Fig. 6 is an addressing diagram showing one of two images displayed on a screen as a still image and the other as a moving image to compare the two images with each other and to examine the images;

Fig. 7 is a top swing diagram showing one of two images displayed on a screen as a still image and the other as a moving image to compare the two images with each other and to examine the images;

Fig. 8 is a diagram showing a manner of moving a body in golf swing;

Fig. 9 is a diagram in which top swings of a trainer and a trainee in an actual golf course are compared with each other; and

Fig. 10 is a diagram in which forms of a trainee before training and after training are compared with each other to make the trainee to understand the difference between both the forms.

## **DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS**

Fig. 1 shows a golf play as an example of the present invention. In Fig. 1, reference numeral (1) denotes a multi-functional, high-performance mobile communication device (to be referred to as "a portable telephone terminal" or "mobile terminal" hereinafter), such as a portable telephone; (2) denotes a mobile communication network system, such as a PDC/PHS; (3) denotes a gateway for performing protocol conversion; (4) denotes the Internet.

In Fig. 2, reference numeral (5) denotes a driving range; (6) denotes a plurality of cameras for a boom shot video image (7) or a zoom wide video image (8). The plurality of cameras (6) is connected to an encoder (9) including a digital disk recorder, a still image file device, a frame synchronizer or the like with a time compression function, a multiplexing function, and a packet transmission function. Reference numeral (1) denotes a portable telephone terminal connected to the cameras (6) through the Internet (4).

At least one of the cameras (6) makes a boom shot video image to really capture the actions and situations of a body when a player plays, e.g., golf. In addition, the plurality of cameras (6) are prepared at important points, such as a grip, to obtain the zoom wide video image.

In Fig. 2, reference numeral (13) denotes a terminal to which data of every move of a player is input. In this embodiment, two terminals (13) are prepared to accommodate more input data and to improve the reliability of the data.

In addition, reference numeral (12) denotes a data server. The data server can store data transmitted from the data terminal (13) through a data transfer device (14) and a network circuit, and can also store profiles of players and additional data (contents) if necessary.

Furthermore, the data server (12) has (i) a data server program having a master maintenance function, a terminal master updating function, and a data searching function, and a data transfer function of a search result, and (ii) a data convert program having an input

data real time display data convert function, an input data file transceiver function, a database updating function, a database updating function, and a master updating file terminal transfer function.

With respect to the time compression function described above, since a protocol, i.e., MPEG2 (Moving Picture Experts Group 2) exists, time compression of information is performed by using the characteristics of the protocol, and a link of time and video images, a link of time and data, etc. are combined to each other, so that the various data can be incorporated.

More specifically, in the MPEG2, frames are not decoded in the order of reception. As frames subjected to time compression, I frame ("I"), P frame ("P"), and predicted B frame ("B") formed by the I and P frames are known.

For example, frames which received in the order of I-B-B-P are decoded in the order of I-P-P-B. The P frame is calculated for example, and the two B frames are calculated by using the I frame, so that two B frames are formed by using a new I frame. More specifically, by applying a process technique for the frames, two basic data stream formats are processed by software to perform packet multiplying transmission. In addition, data is incorporated as a closed-caption-added text data by a TS (Transform Stream) packet and transmitted to a trainee (user), so that the trainee (user) can select data according to his/her wish.

In Fig. 2, reference symbol (A) denotes a fixed terminal such as a personal computer. As a matter of course, the fixed terminal (A) can also search for data through the Internet (4). However, according to the present invention, especially, a mobile terminal (1) such as a portable telephone is used.

When the present invention is performed, as shown in the driving ranges shown in Fig. 2, at the driving range or an actual golf course, a trainee (B) picks images of a form of, e.g., a player, with at least one of the cameras (6), and stores the images in a video image server (10) through the encoder (9) and the Internet (4).

A trainer uses a known system or program software in the fixed terminal (A), such as

a personal computer, to draw grid-like lines or graphics on the graphic. More specifically, for example, in golf, the trainer trains a trainee such that the position of the head of the trainee must not be moved, especially when the trainee swings a golf club. This is performed for the following reason. Although the trainee cannot sufficiently understand that the position of the head must not be moved even though the trainee watches a screen on which the trainee plays golf, the trainee can easily understand that the position of the head must not be moved by drawing a plurality of grid-like lines on the screen.

For the sake of descriptive convenience, an operation will be described by only parts of the configuration and some means. For example, a trainee, who makes a request in advance, calls the video image server (10) by using the portable telephone terminal (1) through the mobile communication net system (2), the gateway (3), and the Internet (4) to search for her/his playing form. As a result, as shown in Figs. 3 to 7, video images on which a plurality of lines are drawn can be displayed on the display of the mobile communication device (1).

In Fig. 3, the left shoulder "excessively moves down". As shown in Fig. 3, if the left shoulder is not swung along the upper side of the inverted triangle as shown in Fig. 3, a ball may be "hooked" or sliced. In a take-back state shown in Fig. 4, when the left shoulder excessively moves up, immediately after the ball shown in Fig. 5 is hit, i.e., in impact, the trainee played correctly by not shaking her/his head, i.e., so-called "sway".. When training is performed by using the method of the present invention, a correct playing form can be realized to obtain a preferable training result .

In addition, in Figs. 6 and 7, image of a playing form of the same trainee are picked from different perspectives, and the images are displayed without being overlapped on the same screen. An optimum range in which the body can be inclined and moved can be indicated with a line or a circle in place of a grid-like line. In this manner, training can be correctly performed to make the trainee understand a good playing form.

More specifically, in a golf club swing , by using a straight line connecting both shoulders, a line connecting both ends of the straight line to the hands through the elbows,

and a line connecting the grip of the club to the club head, it can be decided whether a correct shot can be performed or not. When lines connecting both shoulders and from the shoulders to the hands maintain the same triangle, it is understood that a shot is performed correctly. However, as shown in Fig. 8, the above lines are drawn on each screen, the image is erased, and only the lines drawn as shown in Fig. 8 are extracted on the screen for the trainer to understandably explain to the trainee the correct playing form. In this manner, when training is performed by using the system according to the present invention, the trainee can understand a correct playing form and obtains a preferable training result.

In the video image server (10), a correct playing form including the position of a club face when the club is addressed or set at the top, the position of the club in an impact or finish state, and a manner of folding arms are photographed and input in advance.

In this state, the trainee visually compares her/his form with a form of a professional trainer whose figure is similar to the trainee, so that the trainee can correct her/his form. Therefore, the trainee searches the video image server (10) for the video image of her/his top position through the mobile communication device (1) first, and, at the same time, the trainee searches the video image server (10) for the video image of a corresponding top position of the trainer. Both the video images are displayed in parallel as shown in Fig. 9. As a result, the difference between the form of the trainee (self) and the form of the trainer is apparent at glance. Therefore, points to be corrected can be easily understood.

In this case, one of the forms of the trainee and the trainer is displayed as a still image, and the other is displayed as a moving image, so as to make it possible that the trainee understands the correct playing form.

In addition, when the trainer performs training while watching the image of the trainee, the system is designed such that letters or graphics for the training can be drawn on the image of the trainee.

The above description has been made by using golf playing as an example. As a matter of course, the present invention is not limited to golf, and the present invention is



effective to correct playing forms of all kinds of sports. When training is performed by using the system, a trainee can understand her/his weak points. For this reason, the form of the trainee could be corrected into a correct form, and a preferable training result could be obtained.

More specifically, in Fig. 10, the present invention is applied to training of baseball, the right and left side of a screen show the same trainee (student). As the right image, an image obtained before a trainer performs training is picked. Thereafter, the training is performed, an image (left side) obtained after the form is improved by the training is arranged on the left side, and the left elbow is not sufficiently stretched out. For this reason, the trainer points out the weak point, and trainer shows to the trainee the right screen picked thereafter. As a result, the trainer makes the trainee understand the degree of improvement and recognize the difference between the correct form and the wrong form.

In general, according to the present invention, as has been described above, by using a mobile communication terminal such as a portable telephone, the images of plays or the like of a trainer and a trainee are displayed on two divided monitor displays such that the images are compared with each other. For this reason, a very understandable training method can be easily and simply provided.

# **TRAINING SEARCH BODY MOVEMENT METHOD FOR MANNER OF MOVING** **BODY IN SPORT USING MOBILE IMAGE COMMUNICATION**

## **BACKGROUND OF THE INVENTION**

### **FIELD OF THE INVENTION**

The present invention relates to a body movement training method of by searching images of a training for a basic manner of moving a body of a trainee and/or trainer in a sport performed by moving a body.

### **Description of the Related Art**

According to the present invention, as a ~~training~~ method for training a basic manner of moving a body in a sport performed by ~~moving a~~ human body, a trainer has performed a demonstration typical action or the like and then cause a trainee to perform an action ~~or the like~~, and the trainer has explained the difference between the demonstration typical action and the action ~~by~~ to the trainee with voice or body action. In addition, a ~~larger~~ number of media, ~~described such as as follows have been spread.~~ That is, a trainer herself or himself performs a demonstration , typical action, and voice, a training book, or the like is added to the typical action demonstration by the trainer for , so that self-training can be achieved.

~~The following invention is disclosed as~~ USP. No. 5,184,295 (issued on February 2, 1993) describes that. ~~That is,~~ a typical action or the like is input as a video image, and the image and an action or the like performed by a trainee are overlapped by an arithmetic operation process, so that training is performed with a three-dimensional image. However, according to this patent, since the model excellent typical action or the like is generated recorded as a video image in advance with , training which is fitted to the age and the physical strength dimensions of the trainee and which such that it is effective for only the specific trainee or training captured for which performs a gradual training method in accordance with each rather generally applicable to any trainees. cannot be achieved.

~~Therefore,~~ Another patent describes that an action ~~or the like~~ of a trainee is recorded as

a video image, ~~one screen of this image is reproduced on a display, and a range of an action to which attention must be paid,~~ a basic line ~~or the like~~ of a body constituting an optimum pose, and the like are indicated on an each action image of the trainee on the screen, ~~with lines or the like.~~ This application was filed by the present inventor of this application prior to USP No. 5,184,295, the above invention. In Japan, the application was filed on August 3, 1994 and published as . ~~The application is disclosed in Japanese Unexamined Patent Publication No. 7-144038 then,~~ and is patented on June 12, 1999 as Patent No. 5,857,855 in the United States of America.

~~On the other hand, With~~ with the recent development of communication devices, a novel digital TV transceiver system for separating video data from data linked with the video data and transmitting these data by the same channel has also been deployed to implement the above-mentioned training systems. ~~able to be provided.~~

## SUMMARY OF THE INVENTION

It is an object of the present invention to provide a system which can display a video image and data of a trainer ~~which are~~ desired to be seen by a trainee with a mobile communication device ~~and which can display~~ displaying a video image and/or data of the trainee or a third party on the same screen without being overlapped while being linked with each other.

~~T~~An aspect of the present invention uses a multi-functional, high-performance mobile image communication terminal (such as a portable telephone), a mobile network system (such as a PDC or/and a PHS), a gateway for performing protocol conversion or the like, and the Internet, at least one camera ~~or a plurality of cameras~~ for photographing a body action of a trainer (such as a player actor), and a system for encoding video information of the camera so as to transfer the encoded information to a video server through a cable or/and a wireless network circuit, and a system which receives various pieces of information of the body action and transfers the data to a data server through a cable or/and a wireless network circuit.

Therefore, a trainee (such as an auditory user) searches a data server by the mobile image communication terminal to automatically calculate the data and video data related to the data, so that the data and the video data can be shown on the same screen while being linked with each other.

According to another aspect of the present invention, the data of the data server or/and the video server is data of a trainer (such as a coach or an instructor), and these data and the data or/and the video image of the trainee are displayed and compared on the same screen without being overlapped ~~and compared with each other~~, so as to ~~make it possible to perform~~ training.

According to still another aspect of the present invention, ~~in means for causing a trainer to train a trainee in a manner of moving a body for a trainee~~, the trainer searches for two still images through mobile image communication from the video server or/and the data server ~~on which~~ with the data of the trainee to be and displayed, ~~the still images~~, and these still images are simultaneously displayed, ~~and compared and examined~~, so as to make the trainee to understand the difference between both ~~the~~ actions.

According to still another aspect of the present invention, ~~in means for causing a trainer to train a manner of moving a body of for a trainee~~, images of actions of a sport performed by the ~~same~~ trainee are ~~picked as images from~~ taken at substantially the same place, the images are reproduced without being overlapped on the same screen such as a mobile display. One, ~~any one of the images of the trainee and the trainer~~ is set as a moving image, and the other image is set as a still image, so as to make the trainee ~~to understand the~~ relation between the images.

According to still another aspect of the present invention, an image of a sport, an action, a movement, or the like performed by a trainee before the trainee is trained by a trainer is taken. Thereafter, an image of the action of ~~picked as an image, thereafter~~, the trainee is taken ~~picks a sport action performed after the trainee is trained by the trainer at as an image from the same place~~. These, ~~these~~ images are reproduced without being overlapped on the

same screen such as a mobile display, and the two images are simultaneously compared with each other and examined, so as to make the trainee to understand the degree of improvement.

According to still another aspect of the present invention, when a moving image of a sport action of a trainer or a trainee is reproduced on a mobile display, a line or a grid-like line serving as a reference ~~when the trainee sees the image is displayed on the image, so as to demonstrate to make the trainee to understand the degree of an act, such as the sport, an action, or a movement.~~

According to still another aspect of the present invention, ~~a moving image of a sport action of a trainer or a trainee is displayed on a mobile display as still images of respective frames,~~ a basic line of a body featuring each the frame of a moving image is drawn on the corresponding image ~~along the image, the image on the screen is switched to the next frame while the basic line is left on the screen, a basic line of the body featuring the frame is drawn on the corresponding image along the image, the basic lines of the body featuring the subsequent frames are drawn on the corresponding images along the images, finally, (the image of the sport action is erased), and only to obtain a plurality of basic lines to be are displayed on one screen in place of the moving image, so as to demonstrate make the trainee to understand the change of the basic lines of the body.~~

According to still another aspect of the present invention, a video still image of a sport action of a trainer or a trainee is displayed on a mobile display, and letters or/and symbols are described by the trainer on a part of the video still image, ~~so as to make the trainee to understand a training point.~~

According to still another aspect of the present invention, sport actions at different places are simultaneously ~~picked taken~~ as images. ~~The, the~~ images are reproduced without being overlapped on the same screen of a mobile display, and the two images are ~~simultaneously compared with each other, so as to demonstrate make a trainee to understand the difference between both the images.~~

## BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a block diagram of a system used in the present invention;

Fig. 2 is an illustrational diagram of Fig. 1;

Fig. 3 is a diagram showing an addressing form of golf in training;

Fig. 4 is a diagram showing a tee back form of golf in training;

Fig. 5 is a diagram obtained when a golf ball is hit in training;

Fig. 6 is an addressing diagram showing one of two images displayed on a screen as a still image and the other as a moving image to compare the two images with each other and to examine the images;

Fig. 7 is a top swing diagram showing one of two images displayed on a screen as a still image and the other as a moving image to compare the two images with each other and to examine the images;

Fig. 8 is a diagram showing a manner of moving a body in golf swing;

Fig. 9 is a diagram in which top swings of a trainer and a trainee in an actual golf course are compared with each other; and

Fig. 10 is a diagram in which forms of a trainee before training and after training are compared with each other to make the trainee to understand the difference between both the forms.

## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Fig. 1 shows a golf play as an example of the present invention. In Fig. 1, reference numeral (1) denotes a multi-functional, high-performance mobile communication device (to be referred to as "a portable telephone terminal" or "mobile terminal" hereinafter), such as a portable telephone; (2) denotes a mobile communication network system, such as a PDC/PHS; (3) denotes a gateway for performing protocol conversion; (4) denotes the Internet.

In Fig. 2, reference numeral (5) denotes a driving range; (6) denotes a plurality of

cameras for a boom shot video image (7) or a zoom wide video image (8). The plurality of cameras (6) is connected to an encoder (9) including a digital disk recorder, a still image file device, a frame synchronizer or, and the like ~~and having with~~ a time compression function, a multiplexing function, and a packet transmission function. Reference numeral (1) denotes a ~~video server portable telephone terminal~~ connected to the cameras (6) through the Internet (4).

~~The camera~~ At least one of the cameras (6) makes a boom shot video image to really capture the actions and situations of a body when a player plays, e.g., golf. In addition, the plurality of cameras (6) are prepared at important points, such as a grip, to obtain the zoom wide video image.

In Fig. 2, reference numeral (13) denotes a terminal to which data of every move of a player is input. In this embodiment, two terminals (13) are prepared to accommodate more ~~cover a lack of~~ input data and to improve the reliability of the data.

In addition, reference numeral (12) denotes a data server. The data server can store data transmitted from the data terminal (13) through a data transfer device (14) and a network circuit, and can also store profiles of players and additional data (contents) if necessary.

Furthermore, the data server (12) has (i) a data server program having a master maintenance function, a terminal master updating function, and a data searching function, and a data transfer function of a search result, and (ii) a data convert program having an input data real time display data convert function, an input data file transceiver function, a database updating function, a database updating function, and a master updating file terminal transfer function.

With respect to the time compression function described above, since a protocol, i.e., MPEG2 (Moving Picture Experts Group 2) exists, time compression of information is performed by using the characteristics of the protocol, and a link of time and video images, a link of time and data, ~~and the like etc.~~ are combined to each other, so that the various data can be incorporated.

More specifically, in the MPEG2, frames are not decoded in the order of reception. As frames subjected to time compression, I frame ("I"), P frame ("P"), and predicted B frame ("B") formed by the I and P frames are known.

For example, frames which received in the order of I-B-B-P are decoded in the order of I-P-P-B. ~~The~~, the P frame is calculated for example, and the two B frames are calculated by using the I frame, so that two B frames are formed by using a new I frame. More specifically, by applying a process technique for the frames, two basic data stream formats are processed by software to perform, ~~so that packet multiplying transmission can be performed.~~

In addition, data is incorporated as a closed-caption-added text data by a TS (Transform Stream) packet and transmitted to a trainee (user), so that the trainee (user) can select data according to his/her wishtaste.

In Fig. 2, reference symbol (A) denotes a fixed terminal such as a personal computer. As a matter of course, the fixed terminal (A) can also search for data through the Internet (4). However, according to the present invention, especially, a mobile terminal (1) such as a portable telephone is used.

When the present invention is performed, as shown in the driving ranges shown in Fig. 2, at the driving range or an actual golf course, a trainee (B) picks images of a form of, e.g., a driver-player, with at least one of the cameras (6), and stores the images in a video image server (10) through the encoder (9) and the Internet (4).

A trainer uses a known system or program software in the fixed terminal (A), such as a personal computer, to draw grid-like lines or graphics on the graphic. More specifically, for example, in golf, the trainer trains a trainee such that the position of the head of the trainee must not be moved, especially when the trainee swings a golf club. This is performed for the following reason. Although the trainee cannot sufficiently understand that the position of the head must not be moved even though the trainee watches a screen on which the trainee plays golf, the trainee can easily understand that the position of the head must not be moved by drawing a plurality of grid-like lines on the screen.



For the sake of descriptive convenience, an operation will be described by only the parts of the configuration and ~~the~~ some means. For example, a trainee, who makes a request ~~for her/his form in advance,~~ calls the video image server (10) by using the ~~her/his~~ portable telephone terminal (1) through the mobile communication net system (2), the gateway (3), and the Internet (4) to search for her/his playing driver form. As a result, as shown in Figs. 3 to 7, video images on which a plurality of lines are drawn can be displayed on the display of the mobile communication device (1).

In Fig. 3, the left shoulder "excessively moves down". As shown in Fig. 3, if the left shoulder is not swung along the upper side of the inverted triangle as shown in Fig. 3, a ball may be "hooked" or sliced. In a take-back state shown in Fig. 4, when the left shoulder excessively moves up, immediately after the ball shown in Fig. 5 is hit, i.e., in impact, the trainee played correctly by not ~~is good because~~ shaking of her/his head, i.e., so-called "sway", ~~does not occur.~~ When training is performed by using the method of the present invention, a correct playing form can be realized to obtain, ~~and~~ a preferable training result ~~can be given to the trainee.~~

In addition, in Figs. 6 and 7, image of a playing form of the same trainee are picked from different ~~perspectives~~ positions, and the images are displayed without being overlapped on the same screen. An optimum range in which the body can be inclined and moved can ~~also be indicated~~ with ~~by using~~ a line or a circle in place of a grid-like line. In this manner, training ~~by the trainer~~ can be correctly performed to make it ~~possible that the~~ trainee understands a good playing form.

More specifically, in a golf club swing ~~by using a club,~~ by using a straight line connecting both ~~the~~ shoulders, a line connecting both ~~the~~ ends of the straight line to the hands through the elbows, and a line connecting the grip of the club to the club head, it can be decided whether a correct shot can be performed or not. When lines connecting both ~~the~~ shoulders and from the shoulders to the hands maintain ~~always constitute~~ the same triangle, it is understood that a shot ~~can be~~ is performed correctly ~~with a correct form.~~ However, as

shown in Fig. 8, the above lines are drawn on each screen, the image is erased, and only the lines drawn as shown in Fig. 8 are extracted on the screen, ~~so that for the trainer to can~~ understandably explain to the trainee the correct playing form. In this manner, when training is performed by using the system according to the present invention, the trainee can understand a correct playing form and obtains a preferable training result.

In the video image server (10), a correct playing form including the position of a club face when the club ~~of the trainee is~~ addressed or set at the top, the position of the club in an impact or finish state, and a manner of folding arms ~~is are~~ photographed and input in advance.

In this state, the trainee visually compares her/his form with a form of a professional trainer whose figure is similar to the trainee, so that the trainee ~~wants to can~~ correct her/his form. Therefore, the trainee searches the video image server (10) for the video image of her/his top position through the mobile communication device (1) first, and, at the same time, the trainee searches the video image server (10) for the video image of a corresponding top position of the trainer. Both the video images are displayed in parallel as shown in Fig. 9. As a result, the difference between the form of the trainee (self) and the form of the trainer is apparent at glance. Therefore, points to be corrected can be easily understood.

In this case, one of the forms of the trainee and the trainer is displayed as a still image, and the other is displayed as a moving image, so as to make it possible that the trainee understands the correct playing form.

In addition, when the trainer performs training while watching the image of the trainee, the system is designed such that letters or graphics for the training can be drawn on the image of the trainee.

The above description has been made by using golf playing ~~a form of a golf play~~ as an example. As a matter of course, the present invention is not limited to golf, and the present invention is effective to correct playing forms of all kinds of sports. When training is performed by using the system, a trainee can understand her/his weak points. For this reason, the form of the trainee could be corrected into a correct form, and a preferable training result

could be obtained.

More specifically, in Fig. 10, the present invention is applied to training of baseball, the right and left side of a screen show the same trainee (student). As the right image, an image obtained before a trainer performs training is picked. Thereafter, the training is performed, an image (left side) obtained after the form is improved by the training is arranged on the left side, and the left elbow is not sufficiently stretched out. For this reason, the trainer points out the weak point, and trainer shows to the trainee the right screen picked thereafter. As a result, the trainer makes the trainee to understand the degree of improvement and to recognize the difference between the correct form and the wrong form, ~~so that a preferable training result can be obtained.~~

In general, according to the present invention, as has been described above, by using a mobile communication terminal such as a portable telephone, the images of plays or the like of a trainer and a trainee are displayed on two divided monitor displays such that the images are compared with each other. For this reason, a very understandable training method can be easily and simply provided.

## ABSTRACT OF THE DISCLOSURE

A video image and data of a trainer as requested and/or searched ~~which are desired to be seen by a trainee with a mobile communication device can be~~ is displayed on a screen thereon to be set side-by-side with ~~and a video image and/or data of the trainee or a third party can be displayed on the same screen without being overlapped while being linked with each other.~~ A method is implemented via ~~of this invention includes~~ a high-performance mobile image communication terminal (such as a portable telephone), a mobile communication network system (such as a PDC or/and a PHS), a gateway for performing protocol conversion or the like, ~~and the Internet, a plurality of cameras, a digital disk recorder, a still image file device, an encoder including a frame synchronizer~~ for ~~or the like and a time compression function, a multiplexing function, and a packet transmission function, and a~~ video image server connected through an internet circuit, ~~a terminal which receives data of every move of a player, and a data server which can store data transmitted from the data terminal through a data transfer device and a network circuit and can also store the profile of each player and additional data (contents).~~